

Scan results for [www.sandwell.gov.uk](http://www.sandwell.gov.uk)

 **Compliant**

Great news! Based on our scan, your webpage is accessible and conforms with WCAG standards.




Your website is **accessible!**




**Congratulations!**

Your website is among the **3%** of inclusive and accessible websites globally. Well done!

In the report you'll find the results for dozens of tests focusing mainly on these categories:

-  **Screen-reader** adjustments (blind users)
-  **Keyboard navigation** adjustments (motor impaired)
-  **UI, design and readability** adjustments (vision impaired)



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	21	0	100

### Successful Elements

```
<button id="ccc-close" class="ccc-link ccc-tabbable " tabindex="0" aria-label="Close Cookie Control" ><svg xmlns="http://www.w3.org/2000/svg" height="24" viewBox="0 0 24 24" width="24" aria-hidden="true"><path d="M19 6.41L17.59 5 12 10.59 6.41 5 5 6.41" /></button>
```

```
<button id="ccc-recommended-settings" class="ccc-notify-button ccc-link ccc-tabbable ccc-accept-button" ><span>I Accept Cookies</span></button>
```

```
<button id="ccc-reject-settings" class="ccc-notify-button ccc-link ccc-tabbable ccc-reject-button" ><span>I Do Not Accept Cookies</span></button>
```

```
<button aria-expanded="true" id="ccc-icon" class="ccc-icon--right ccc-icon--dark" aria-label="Set cookie preferences" style="width: 80px; height: 80px;"><svg xmlns="http://www.w3.org/2000/svg" x="0px" y="0px" viewBox="0 0 72.5 72.5" enable-background="initial" /></button>
```

```
<button class="button button--primary button--icon list__link js-search-toggle js-toggle" id="js-search-toggle" data-a11y-toggle="js-search" data-a11y-callback="searchPopup" aria-controls="js-search" aria-expanded="false" ><span class="icon icon-ui-search" /></button>
```

```
<button class="button button--primary button--icon list__link js-menu-toggle js-toggle" id="js-menu-toggle" data-a11y-toggle="js-menu" aria-controls="js-menu" aria-expanded="false" ><span class="icon toggle-icon" /><span class="toggle-icon__line" /></button>
```

```
<button class="button button--primary" type="submit" ><span class="icon icon-ui-search" /></span><span class="icon-fallback">Submit search</span></button>
```

```
<button data-a11y-toggle="extra-services-6" data-a11y-callback="extra-services-6" class="button button--secondary services__button" id="a11y-toggle-1" aria-controls="extra-services-6" aria-expanded="false" ><span class="button__text"> See more</span></button>
```

```
<button class="flickity-button flickity-prev-next-button next" type="button" aria-label="Next slide: What's going on in Sandwell?" ><svg class="flickity-button-icon" viewBox="0 0 100 100" preserveAspectRatio="xMinYMid" aria-hidden="true" focusable="false" /></button>
```

```
<button class="flickity-button flickity-prev-next-button previous" type="button" aria-label="Previous slide: What's going on in Sandwell?" ><svg class="flickity-button-icon" viewBox="0 0 100 100" preserveAspectRatio="xMinYMid" aria-hidden="true" focusable="false" /></button>
```

2 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

21

0

100

## Successful Elements

```
<button id="ccc-close" class="ccc-link ccc-tabbable " tabindex="0" aria-label="Close Cookie Control" ><svg xmlns="http://www.w3.org/2000/svg" height="24" viewBox="0 0 24 24" width="24" aria-hidden="true"><path d="M19 6.41L17.59 5 12 10.59 6.41 5 5 6.41" data-bbox="124 133 947 192"/>
```

```
<button id="ccc-recommended-settings" class="ccc-notify-button ccc-link ccc-tabbable ccc-accept-button" ><span>I Accept Cookies</span></button>
```

```
<button id="ccc-reject-settings" class="ccc-notify-button ccc-link ccc-tabbable ccc-reject-button" ><span>I Do Not Accept Cookies</span></button>
```

```
<button aria-expanded="true" id="ccc-icon" class="ccc-icon--right ccc-icon--dark " aria-label="Set cookie preferences" style="width: 80px; height: 80px;"><svg xmlns="http://www.w3.org/2000/svg" x="0px" y="0px" viewBox="0 0 72.5 72.5" enable-background="url(#ccc-icon)" data-bbox="124 338 947 399"/>
```

```
<button class="button button--primary button--icon list__link js-search-toggle js-toggle" id="js-search-toggle" data-a11y-toggle="js-search" data-a11y-callback="searchPopup" aria-controls="js-search" aria-expanded="false" ><span class="icon icon-ui-search" data-bbox="124 427 947 487"/>
```

```
<button class="button button--primary button--icon list__link js-menu-toggle js-toggle" id="js-menu-toggle" data-a11y-toggle="js-menu" aria-controls="js-menu" aria-expanded="false" ><span class="icon toggle-icon" data-bbox="124 516 947 576"/>
```

```
<button class="button button--primary" type="submit" ><span class="icon icon-ui-search" data-bbox="124 603 947 635"/>
```

```
<button data-a11y-toggle="extra-services-6" data-a11y-callback="extra-services-6" class="button button--secondary services__button" id="a11y-toggle-1" aria-controls="extra-services-6" aria-expanded="false" ><span class="button__text" data-bbox="124 662 947 723"/>
```

```
<button class="flickity-button flickity-prev-next-button next" type="button" aria-label="Next slide: What's going on in Sandwell?" ><svg class="flickity-button-icon" data-bbox="124 751 947 811"/>
```

```
<button class="flickity-button flickity-prev-next-button previous" type="button" aria-label="Previous slide: What's going on in Sandwell?" ><svg class="flickity-button-icon" data-bbox="124 840 947 900"/>
```

3 Links should include text that is setting expectations to Yes what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

46

0

100

### Successful Elements

```
<a id="ccc-info-link" class="ccc-link ccc-tabbable" href="https://www.civicuk.com/cookie-control" target="_blank" rel="noopener" >About this tool<span class="ccc-svg-element"><span class="ccc-sr-only" >(Opens in a new window)</span></span></a>
```

```
<a href="/" class="identity__link identity__link--default" ><picture class="identity__logo-image"> <source srcset="https://www.sandwell.gov.uk/site/dist/images/site-logo.svg?2.9.0" type="image/svg+xml" ...</a>
```

```
<a class="button button--secondary button--icon" href="https://my.sandwell.gov.uk" ><span class="icon icon-header-account-white"></span><span class="button__text">MySandwell</span></a>
```

```
<a class="service__link" href="https://www.sandwell.gov.uk/bins" ><span class="icon service__icon icon-bins-recycling-2-primary"></span><span class="icon service__icon service__icon--hover icon-bins-recycling-2"></span><span class="service__heading" ...</a>
```

```
<a class="list__link" href="https://www.sandwell.gov.uk/bins-recycling/report-missed-bin-collection" ><span class="list__link-text"> Report a missed bin </span></a>
```

```
<a class="list__link" href="https://www.sandwell.gov.uk/bins-recycling/bin-day" ><span class="list__link-text"> When is my bin day? </span></a>
```

```
<a class="service__link" href="https://www.sandwell.gov.uk/housing" ><span class="icon service__icon icon-housing_1-primary"></span><span class="icon service__icon service__icon--hover icon-housing_1"></span><span class="service__heading" ...</a>
```

```
<a class="list__link" href="https://www.sandwell.gov.uk/find-home" ><span class="list__link-text"> Find a home </span></a>
```

```
<a class="list__link" href="https://www.sandwell.gov.uk/tenanthandbook" ><span class="list__link-text"> Tenant handbook </span></a>
```

```
<a class="service__link" href="https://www.sandwell.gov.uk/CouncilJobs" ><span class="icon service__icon icon-people_communities_7-primary"></span><span class="icon service__icon service__icon--hover icon-people_communities_7"></span><span class="service__heading" ...</a>
```

4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.

Pass

-

100

## Successful Elements

```
<a id="ccc-info-link" class="ccc-link ccc-tabbable" href="https://www.civicuk.com/cookie-control" target="_blank" rel="noopener" >About this tool<span class="ccc-svg-element"><span class="ccc-sr-only ">(Opens in a new window)</span><svg xmlns="http:// ...
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100
---	--	-----	------	---	-----

## Successful Elements

```
<h1 id="ccc-title">This site uses cookies to store information on your computer.</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	10	0	100
---	---	-----	----	---	-----

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0
---	--	----	---	---

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100
---	--	-----	------	---	-----

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	No	-	Fail	0
---	---	----	---	------	---

## Failed Elements

```
<label class="checkbox-toggle-label" ><input class="checkbox-toggle-input" type="checkbox"><span class="checkbox-toggle-text ccc-sr-only">Analytical Cookies</span><span class="checkbox-toggle-on" aria-hidden="true">On</span><span class="checkbox-togg ...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100
----	---	-----	------	---	-----

11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	-	Fail	0
----	--	----	---	------	---

## Failed Elements

```
<div id="ccc" role="region" aria-label="Cookie preferences" aria-live="polite" style="z-index: 2147483647;" ><div id="ccc-overlay"></div><div id="ccc-module" class="ccc-module--slideout ccc-module--right" role="dialog" aria-labelledby="ccc-title"><di ...
```

12 Every page should include hidden links that by clicking Yes on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.

Pass

-

100

## Successful Elements

```
<a class="list__link" href="#content" rel="nofollow" > Skip to content </a>
```

```
<a class="list__link js-menu-toggle" href="#js-menu-toggle" rel="nofollow" data-a11y-toggle="js-menu" id="a11y-toggle-0" aria-controls="js-menu" aria-expanded="false" > Skip to navigation </a>
```

13 Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.

No

0

0

14 Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.

No

0

0

15 Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.

4

0

100

## Successful Elements

```
<nav class="skip-links" aria-label="Skip link"> <ul class="list list--skip-links" > <li class="list__item"> <a class="list__link" href="#content" rel="nofollow" > Skip to content ...
```

```
<nav class="nav nav--primary-navigation" aria-label="Main"> <div class="account-navigation" ><ul class="list list--inline" ><li class="list__item" ><a class="list__link" href="/account/signin" >Sign in</a></li><li class="list__item" ><a class="list__link" href="/account/signout" >Sign out</a></li></ul> ...
```

```
<nav class="nav nav--social-links" aria-label="Footer social media links"> <ul class="list list--inline" > <li class="list__item"> <a class="list__link" href="https://www.facebook.com/sandwellco" >Facebook</a> ...
```

```
<nav class="site-footer__group" aria-label="Footer"> <ul class="list" ><li class="list__item"><a class="list__link" href="https://www.sandwell.gov.uk/council/accessibility-statement" >Accessibility</a></li><li class="list__item"><a c...
```

16 Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true". No 0 0

17 Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown. No 0 0

18 Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. Yes 2 4

33

#### Successful Elements

```

```

#### Failed Elements

```

```

```

```

```

```

```

```

19 Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute. No 0 0

20 Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none". Yes 38 0

100

#### Successful Elements

```
<svg xmlns="http://www.w3.org/2000/svg" height="24" viewBox="0 0 24 24" width="24" aria-hidden="true" ><path d="M19 6.41L17.59 5 12 10.59 6.41 5 5 6.41 10.59 12 5 17.59 6.41 19 12 13.41 17.59 19 19 17.59 13.41 12z" ></path></svg>
```

```
<span class="checkbox-toggle-toggle"></span>
```

```
<svg xmlns="http://www.w3.org/2000/svg" data-icon="external-link" viewBox="0 0 32 40" x="0px" y="0px" aria-hidden="true" ><path d="M32 0l-8 1 2.438 2.438-9.5 9.5-1.063 1.063 2.125 2.125 1.063-1.063 9.5-9.5 2.438 2.438 1-8zm-30 3c-.483 0-1.047-1.72-1.4 ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" x="0px" y="0px" viewBox="0 0 72.5 72.5" enable-background="new 0 0 72.5 72.5" aria-hidden="true" ><g id="triangle" ><path d="M72.5,72.5H0L72.5,0V72.5z" ></path></g><g id="star" ><path d="M62.2,51.9l-3.9-2.6l1.6 ...
```

```
<span class="icon icon-header-account-white"></span>
```

```
<span class="icon icon-ui-search search-icon"></span>
```

```
<span class="icon toggle-icon toggle-icon--search" ><span class="toggle-icon__line" ></span></span>
```

```
<span class="toggle-icon__line" ></span>
```

```
<span class="icon toggle-icon"><span class="toggle-icon__line"></span></span>
```

```
<span class="toggle-icon__line"></span>
```

21	Figure elements that are used to display images should not have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0
----	--	----	---	---

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0
----	--	----	---	---

23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0
----	---	----	---	---

24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	Pass	-	100
----	--	-----	------	---	-----

#### Successful Elements

```
<input class="form__field" type="search" size="18" maxlength="40" name="q" placeholder="I'm looking for .. " id="search">
```



25 Form elements cannot have the same ID, or else their No 0 0  
corresponding label will provide false information.

26 Required form fields should include an "aria-required" No 0 0  
attribute that equals to "true" so blind users using  
screen-readers know their validation.

27 The validity status of every form element must be No 0 0  
represented in the code at all times using the "aria-  
invalid" attributes and the "true/false" values, and  
change dynamically when the status changes.

28 aria-describedby and aria-labeledby attributes should Yes Pass - 100  
be connected by ID to an element that either has text  
description or an "aria-label" attribute.

#### Successful Elements

```
<div id="ccc-module" class="ccc-module--slideout ccc-module--right" role="dialog"
aria-labelledby="ccc-title"><div id="ccc-content" class="ccc-content--dark "><but
ton id="ccc-close" class="ccc-link ccc-tabbable " tabindex="0" aria-label="Close
Cook ...
```

29 All forms should have a submission button that is built Yes Pass - 100  
as an input type "submit" or a "button" element, or  
include a "role" tag that equals to "button". Buttons can  
be hidden if the form can be submitted using the  
Enter key.

#### Successful Elements

```
<form class="site-search form form--search site-search--hero" id="js-search-hero"
action="/site-search/results" method="get" role="search" aria-label="Site wide"><
div class="form__control"><h2 class="hero__heading"> How can we help you today?</
h2><h3 ...
```

30 Search forms should include a "role" tag that equals to Yes Pass - 100  
"search" (or be wrapped by one) to indicate a search  
landmark for screen-readers.

#### Successful Elements

```
<form class="site-search form form--search site-search--hero" id="js-search-hero"
action="/site-search/results" method="get" role="search" aria-label="Site wide"><
div class="form__control"><h2 class="hero__heading"> How can we help you today?</
h2><h3 ...
```

31 The title tag of the HEAD section (also the title that Yes Pass - 100  
appears in the browser tab and Search Engine result  
pages) should exist and describe the name of the  
current webpage for screen-reader users.

### Successful Elements

```
<title>Main Homepage – Sandwell Council</title>
```

- |    |  |     |      |   |     |
|----|--|-----|------|---|-----|
| 32 | The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. | Yes | Pass | - | 100 |
|----|--|-----|------|---|-----|

### Successful Elements

```
<html class=" js picture no-lowbandwidth svgfilters canvas video progressbar mete  
r no-time inlinesvg videopreload cssgradients supports smil svgasimg hiddenscroll  
no-touchevents checked no-cssscrollbar siblinggeneral cssvhunit cssvwunit backgro  
undcli ...
```

- |    |  |     |      |   |     |
|----|--|-----|------|---|-----|
| 33 | The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. | Yes | Pass | - | 100 |
|----|--|-----|------|---|-----|

### Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

- |    |   |     |   |   |     |
|----|---|-----|---|---|-----|
| 34 | Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections. | Yes | 3 | 0 | 100 |
|----|---|-----|---|---|-----|

### Successful Elements

```
<main class="site-main" id="content"> <h1 class="visually-hidden" >Sandwell Council - Home page</h1> <div ...
```

```
<footer class="site-footer"> <div class="container container--flex"> <div class="site-footer__left"> <div class="site-footer__social"> < ...
```

- |    |   |     |      |   |     |
|----|---|-----|------|---|-----|
| 35 | Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. | Yes | Pass | - | 100 |
|----|---|-----|------|---|-----|

- |    |   |     |      |   |     |
|----|---|-----|------|---|-----|
| 36 | Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. | Yes | Pass | - | 100 |
|----|---|-----|------|---|-----|

37

Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.

Yes

67

0

100

#### Successful Elements

```
<h1 id="ccc-title">This site uses cookies to store information on your computer.
</h1>
```

```
<p class="ccc-intro">Some of these cookies are essential, while others help us to
improve your experience by providing insights into how the site is being used.</p
>
```

```
<span>I Accept Cookies</span>
```

```
<span>I Do Not Accept Cookies</span>
```

```
<h2 id="ccc-necessary-title">Necessary Cookies</h2>
```

```
<p id="ccc-necessary-description">Necessary cookies enable core functionality suc
h as page navigation and access to secure areas.The website cannot function prop
erly without these cookies, and can only be disabled by changing your browser pre
ference ...
```

```
<h3 class="optional-cookie-header">Analytical Cookies</h3>
```

```
<p>Analytical cookies help us to improve our website by collecting and reporting
information on its usage.</p>
```

```
<span class="checkbox-toggle-on" aria-hidden="true">On</span>
```

```
<span class="checkbox-toggle-off" aria-hidden="true">Off</span>
```

38

Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".

No

0

0

39

Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.

Yes

2

0

100

#### Successful Elements

```
<button class="flickity-button flickity-prev-next-button next" type="button" aria
-label="Next slide: What's going on in Sandwell?" ><svg class="flickity-button-ic
on" viewBox="0 0 100 100" preserveAspectRatio="xMinYMid" aria-hidden="true" focus
able="f ...
```

```
<button class="flickity-button flickity-prev-next-button previous" type="button"
aria-label="Previous slide: What's going on in Sandwell?" ><svg class="flickity-b
utton-icon" viewBox="0 0 100 100" preserveAspectRatio="xMinYMid" aria-hidden="tru
e" focu ...
```

40 A common accessibility mistake is to treat carousels as No live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements. 0 0

41 Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text. 8 0 100

#### Successful Elements

```
<button class="flickity-page-dots__button" disabled="disabled" tabindex="-1" ><span class="visually-hidden" >Slide 1</span></button>
```

```
<button class="flickity-page-dots__button" ><span class="visually-hidden" >Slide 2</span></button>
```

```
<button class="flickity-page-dots__button" ><span class="visually-hidden" >Slide 3</span></button>
```

```
<button class="flickity-page-dots__button" ><span class="visually-hidden" >Slide 4</span></button>
```

```
<button class="flickity-page-dots__button" ><span class="visually-hidden" >Slide 5</span></button>
```

```
<button class="flickity-page-dots__button" ><span class="visually-hidden" >Slide 6</span></button>
```

```
<button class="flickity-page-dots__button" ><span class="visually-hidden" >Slide 7</span></button>
```

```
<button class="flickity-page-dots__button" ><span class="visually-hidden" >Slide 8</span></button>
```

42 Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table. No 0 0

43 If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation". No 0 0

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0