


Stop & Go Board
Temporary Ped Signal
Existing Bus Stop
Temporary Sign

ම	Lower City Road
0.5m	Min length of longways clearance (L)
0.5m	Min width of sideways safety zone (S)

	OKO IIIOIIIIANOII						
	NSG	Lowe	Lower City Road, Tividale, Oldbury	ale, (Oldbury		
	Local Authority	Sandwell	well				
	USRN	33630440	0440				
	Road Type	Singl	Single lane carriageway Road Width 7.23m	y R	oad Width	7.23m	_
	Works Location X:397799	X:39	7799		Y: 290426		
	Surveyed	X	Bus Stop(s)	×	Parked Vehicles	hicles	×
	Perm Signals	X	Controlled Crossing	×	Cycle Lanes	Se	×
)
	Chapter 8 details:	ails:					

1) During darkness, warning lights to BS EN 12352:2006 should be provided in accordance with Table A1.3.	Single carriageway 40mph or less - 450mm traffic cones. Single/Dual carriageway 50mph or more - 750mm traffic cones.	<u> </u>	Detail C2 C2	Notes: 1) During darkness, warning lights to BS EN 12352:2006 should be provided in accordance with Table A1.3 (Appendix 1). 2) For relaxation to Detail C1 see Table A1.3 (Appendix 1).	Single/Dual carriageway 40mph or less - 450mm traffic cones. Single/Dual carriageway 50mph or more - 750mm traffic cones.	9m	Detail C I C I	for lead tappers and the facing wall of lane changes.	 4.5 Tapers nave 1.2m spacing, no relaxations. On motorways and NSL AP duals with hard shoulders, 1m cones will be required for both standard and relaxation works. 	1) During darkness, warning lights to BS EN 12352:2006 should be provided in accordance with Table A1.3 (Appendix 1).	Notes:	Dual carriageway national speed limit - 750mm traffic cones. relaxation 3m.	Single/Dual carriageway 40mph or less-450mm traffic cones.	-	Detail B (B)



Drawn: Checked:	Date: Scale: 29/03/2023 NTS	Drawing title: Proposed Temporary One Way Lower City Road Tividale B96 2HF	
Approved: PW	Paper: A2	ry One Way	